

Prepared by:	Surrey Land & Property Services
Address:	Surrey County Council, Woodhatch Place, 11 Cockshot Hill, Woodhatch, Reigate, RH2 8EF
Work Package:	
Site Name/Order No:	Nutfield Church
Inspector's Name:	Tim Rowell
Date of Report:	26-04-2023

Executive Summary:

This tree report has been prepared by a qualified Arboriculturist holding the industry standard Professional Tree Inspection certification. The purpose of this report is to provide a written record of when the inspection was carried out; to detail who the Inspector was; to highlight the works the Inspector considered necessary; and to detail the timeframes by which these works should be completed by. The works (recommendations detailed) prescriptions are those considered necessary to abate potential risks identified during the inspection and to prevent or reduce the likelihood of tree related injury to persons or damage to the fabric of the buildings or property occurring. The schedule is exclusive to trees that were included and reflects the condition (structural & physiological) of these at the time of inspection. Unless otherwise stated, access was not gained to trees recorded in any adjacent private/third party properties; limiting observations to what was visible from within the site or from surrounding public areas.

Where occupiers hold the delegated responsibilities and funding, they must deliver the works in accordance with the timescales set, failure to do so could amount to negligence in law and lead to civil and/or criminal proceedings and potential prosecution.

All tree works must be undertaken in accordance with British standard 3998:2010 'Tree works Recommendations' by a reputable and competent Arboricultural supplier holding appropriate insurance, and certificates of competence. The commissioning party and supplier must and before undertaking the works, consider and comply with all relevant legislation including Planning, Environmental, and Health and Safety.

It should be noted that all tree works costs shown within this report exclude value added tax (VAT.)

Keys:

Priority	Response required
P1	Emergency - Within 2 hours of instruction - Safety Works.
P2	Urgent - Within 14 days of survey date - Safety works.
P3	Planned Arb works - Allocated 3-month response - Within 3 months of survey date - Safety Works.
P4	Planned Arb works - Allocated 6-month response - Within 6 months of survey date - Safety Works.
P5	Planned Arb works - Allocated 12-month response - Within 12 months of survey date - Safety Works.
P6	Planned Arb works - Allocated 24-month response - Within 24 months of survey date - Pro-active Works.

Property							
No	UPRN	Site name				Address	
P53814	53814	Nutfield Church CofE (A) Primary School - Playing Field				land lying to the east of Mid Street, Nutfield	
	NO INSPECTION KT ASSET ID 840004721 ; OPERATIONAL STATUS Operational ; MANAGED BY Maintained school ; TENURE Freehold ; BUDGET GROUP Schools ; TITLE SY415722 ; USE School - Primary - CE Aided						
No	Species		Height (m)	Age Class	Next Inspection	Priority	Est. Duration
G2	Mixed Species () (group)		15	EarlyMature	16-03-2025		0
	TREE/GROUP TAG 485 ; KT ASSET ID 840044086 SPECIES Mixed Species () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS EarlyMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G16	Mixed Species () (group)		16	Mature	16-03-2025		0
	TREE/GROUP TAG 495 ; KT ASSET ID 840044091 SPECIES Mixed Species () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS Mature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G3	Mixed broadleaf () (group)		15	EarlyMature	16-03-2025	3	0
	TREE/GROUP TAG 439 ; KT ASSET ID 840044085 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS EarlyMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			PRELIMINARY RECOMMENDATIONS Remove all dead wood > 25mm diameter (1 of group) (Ash tree only.) Priority 3 <i>complete by 4 January 2021</i> OPERATIONS CARRIED OUT Survey			
T13	Fraxinus excelsior (Common Ash)		18	Mature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Declining ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 354 ; KT ASSET ID 840027240 ; STEM DIAMETERS 56cm ; COMMENT Tree has historically grown at a lean. Crown has been previously reduced. Ash dieback disease is evident within crown. Long term retention unlikely. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G8	Mixed Species () (group)		10	SemiMature	16-03-2025		0
	TREE/GROUP TAG 436 ; KT ASSET ID 840044088 SPECIES Mixed Species () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T10	Populus tremula (Aspen)		12	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Good ; STRUCTURAL_CONDITION Good ; TREE/GROUP TAG 0097 ; KT ASSET ID 840054619 ; STEM DIAMETERS 30cm ; COMMENT Tall slender tree on edge of scrub area. No significant defects observed. ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T14	Fraxinus excelsior (Common Ash)		19	Mature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Reasonable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 522 ; KT ASSET ID 840027249 ; STEM DIAMETERS 52cm ; COMMENT Tree is located on ditch. Suppressed crown from adjacent trees. Some major deadwood in lower crown over allotment but relatively low target. ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE £17440 ; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G14	Mixed broadleaf () (group)		8	SemiMature	16-03-2025		0
	TREE/GROUP TAG 140 ; KT ASSET ID 840044092 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Reasonable AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G15	Mixed Species () (group)		5	Young	16-03-2025		0
	TREE/GROUP TAG 495 ; KT ASSET ID 840044090 SPECIES Mixed Species () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS Young USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known			NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			

Property			
No	UPRN	Site name	Address
P11999	11999	Nutfield Church CofE (A) Primary School - Head's Office*	land on the East side of Mid Street, South Nutfield
	NO INSPECTION KT ASSET ID 840003115 ; OPERATIONAL STATUS Operational ; MANAGED BY Maintained school ; TENURE Freehold ; BUDGET GROUP Schools ; TITLE SY294643 ; USE School - Primary - CE Aided		

No	Species	Height (m)	Age Class	Next Inspection	Priority	Est. Duration
G4	Mixed broadleaf () (group)	8	SemiMature	16-03-2025		0
	TREE/GROUP TAG 405 ; KT ASSET ID 840044084 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Good AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G7	Mixed broadleaf () (group)	3	Young	16-03-2025		0
	TREE/GROUP TAG 133 ; KT ASSET ID 840044081 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Low STRUCTURAL CONDITION Reasonable AGE CLASS Young USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T5	Malus spp (Crab apple species)	5	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Good ; STRUCTURAL_CONDITION Good ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 134 ; KT ASSET ID 840044083 ; STEM DIAMETERS 19cm ; COMMENT No significant defects observed ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE £1766 ; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T3	Quercus robur (English Oak)	16	EarlyMature	16-03-2025	4	0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Good ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY >40 years ; TREE/GROUP TAG 420 ; KT ASSET ID 840027278 ; STEM DIAMETERS 55cm ; COMMENT Major deadwood present over target. Low lateral branch pruning g stub wounds on S aspect. Sparse inner canopy ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE £22091 ; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		PRELIMINARY RECOMMENDATIONS Remove all dead wood > 25mm diameter Priority 4 <i>complete by 16 September 2023</i> OPERATIONS CARRIED OUT Survey			
G10	Mixed broadleaf () (group)	15	SemiMature	16-03-2025		0
	TREE/GROUP TAG 402 ; KT ASSET ID 840044093 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Reasonable AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T1	Fraxinus excelsior (Common Ash)	0.5	SemiMature	16-03-2025	5	0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Reasonable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 10-19 years ; TREE/GROUP TAG 466 ; KT ASSET ID 840027587 ; STEM DIAMETERS 36cm ; COMMENT Previously removed. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		PRELIMINARY RECOMMENDATIONS Fell to ground level and ecoplug Priority 5 <i>complete by 4 July 2022</i> OPERATIONS CARRIED OUT Survey			
T2	Betula pendula (Silver Birch)	12	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Good ; STRUCTURAL_CONDITION Good ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 457 ; KT ASSET ID 840028299 ; STEM DIAMETERS 23cm ; COMMENT No significant defects observed. Close to fence. ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE £2919 ; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G5	Mixed broadleaf () (group)	9	Young	16-03-2025		0
	TREE/GROUP TAG 401 ; KT ASSET ID 840044082 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Reasonable AGE CLASS Young USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T4	Prunus spp (Cherry species)	0.5	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Declining ; STRUCTURAL_CONDITION Poor ; LIFE EXPECTANCY <10 years ; TREE/GROUP TAG 007 ; KT ASSET ID 840028082 ; STEM DIAMETERS 10cm ; COMMENT Removed but buttress stump remains ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T8	Acer platanoides (Norway Maple)	8	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Reasonable ; STRUCTURAL_CONDITION Reasonable ; TREE/GROUP TAG 409 ; KT ASSET ID 840027286 ; STEM DIAMETERS 34cm ; COMMENT Co dominant stems breaking at 2m. Bark inclusion present. Exposed surface roots and heavily compacted rooting environment due to location. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			


Property			
No	UPRN	Site name	Address
P840045723	Unknown	Nutfield Church C of E Primary School	NUTFIELD CHURCH PRIMARY SCHOOL MID STREET, SOUTH NUTFIELD, REDHILL RH1 4JJ
	NO INSPECTION KT ASSET ID 840045723 ; OPERATIONAL STATUS Operational ; MANAGED BY Maintained school ; STATUTORY CONSTRAINT ⌚ ; BUDGET GROUP Schools ; TITLE SY443628		

No	Species	Height (m)	Age Class	Next Inspection	Priority	Est. Duration
G12	Mixed broadleaf () (group)	6	SemiMature	16-03-2025		0
	TREE/GROUP TAG 507 ; KT ASSET ID 840044079 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G9	Mixed Species () (group)	15	EarlyMature	16-03-2025		0
	TREE/GROUP TAG 482 ; KT ASSET ID 840044078 SPECIES Mixed Species () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Reasonable AGE CLASS EarlyMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T9	Acer saccharinum (Silver Maple)	6	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Good ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 499 ; KT ASSET ID 840027572 ; STEM DIAMETERS 29cm ; COMMENT Exposed surface roots which have been compacted from foot and vehicle traffic. Historic branch abscissions in central crown. Reduced in past with approx 3m regrowth. ; CAVAT FUNCTIONAL VALUE 75% ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G13	Mixed broadleaf () (group)	14	SemiMature	16-03-2025		0
	TREE/GROUP TAG 508 ; KT ASSET ID 840044080 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Reasonable STRUCTURAL CONDITION Reasonable AGE CLASS SemiMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G11	Mixed broadleaf () (group)	5	Young	16-03-2025		0
	TREE/GROUP TAG 125 ; KT ASSET ID 840044077 SPECIES Mixed broadleaf () 100% PHYSICAL CONDITION Good STRUCTURAL CONDITION Good AGE CLASS Young USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T12	Fraxinus excelsior (Common Ash)	20	Mature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Reasonable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 412 ; KT ASSET ID 840027241 ; STEM DIAMETERS 68cm ; COMMENT Surface roots are lifting concrete up creating a trip hazard. Crown has been previously reduced. Good tone on stem when tapped. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			

Trees not in any property						
No		UPRN	Site name		Address	
No	Species	Height (m)	Age Class	Next Inspection	Priority	Est. Duration
G1	Mixed Species () (group)	16	EarlyMature	16-03-2025		0
	TREE/GROUP TAG 136 ; KT ASSET ID 840044087 SPECIES Mixed Species () 100% PHYSICAL CONDITION Indeterminable STRUCTURAL CONDITION Reasonable AGE CLASS EarlyMature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
G6	Mixed Species () (group)	18	Mature	16-03-2025	2	0
	TREE/GROUP TAG 138 ; KT ASSET ID 840044089 SPECIES Mixed Species () 100% PHYSICAL CONDITION Indeterminable STRUCTURAL CONDITION Reasonable AGE CLASS Mature USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		PRELIMINARY RECOMMENDATIONS Issue 3rd party advisory letter (4 of group) (Regarding dead tree and Ash with dieback. Felling recommended.) Priority 2 <i>complete by 30 March 2023</i> OPERATIONS CARRIED OUT Survey, Add to survey			
T6	Abies spp (Fir species)	12	SemiMature	16-03-2025		0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Indeterminable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY >40 years ; TREE/GROUP TAG 132 ; KT ASSET ID 840028305 ; STEM DIAMETERS 33cm ; COMMENT Third party tree in close proximity to school boundary. No access to survey tree. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T7	Taxus baccata (Yew)	13	Mature	16-03-2025		0


No	Species	Height (m)	Age Class	Next Inspection	Priority	Est. Duration
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Indeterminable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY >40 years ; TREE/GROUP TAG 130 ; KT ASSET ID 840027731 ; STEM DIAMETERS 90cm ; COMMENT Third party tree in close proximity to school boundary. Basal inspection not possible. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		NO WORKS REQUIRED AT THE TIME OF INSPECTION OPERATIONS CARRIED OUT Survey			
T11	Acer campestre (Field Maple)	8	SemiMature	16-03-2025	6	0
	GENERAL OBSERVATIONS PHYSICAL_CONDITION Indeterminable ; STRUCTURAL_CONDITION Reasonable ; LIFE EXPECTANCY 20-40 years ; TREE/GROUP TAG 141 ; KT ASSET ID 840027976 ; STEM DIAMETERS 26cm ; COMMENT Third party tree in direct contact with school building. Base not inspected. Crown very close to roof of structure. ; CAVAT CASH VALUE -; USER NAME Tim Rowell ; LAST INSPECTED 16-03-2023 UPRN not known		PRELIMINARY RECOMMENDATIONS Cut back encroachment (by 2m) Priority 6 <i>complete by 16 March 2025</i> ; Issue 3rd party advisory letter Priority 4 <i>complete by 4 July 2021</i> OPERATIONS CARRIED OUT Survey			

Overview Map




Maps: © Crown Copyright [and database rights] 2023 OS 100055243

Map 1



Maps: © Crown Copyright [and database rights] 2023 OS 100055243



MapNo: G1 KTId: 840044087
ExtId: 136



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G2 KTId: 840044086
ExtId: 485



MapNo: G3 KTId: 840044085
ExtId: 439




MapNo: G3 KTId: 840044085
ExtId: 439



MapNo: G3 KTId: 840044085
ExtId: 439



MapNo: T1 KTId: 840027587
ExtId: 466



MapNo: G4 KTId: 840044084
ExtId: 405




MapNo: G4 KTId: 840044084
ExtId: 405



MapNo: G4 KTId: 840044084
ExtId: 405



MapNo: G5 KTId: 840044082
ExtId: 401



MapNo: G5 KTId: 840044082
ExtId: 401



MapNo: T2 KTId: 840028299
ExtId: 457



MapNo: T2 KTId: 840028299
ExtId: 457



MapNo: T3 KTId: 840027278
ExtId: 420



MapNo: T4 KTId: 840028082
ExtId: 007



MapNo: T5 KTId: 840044083
ExtId: 134



MapNo: G6 KTId: 840044089
ExtId: 138



MapNo: G6 KTId: 840044089
ExtId: 138



MapNo: G6 KTId: 840044089
ExtId: 138



MapNo: G6 KTId: 840044089
ExtId: 138




MapNo: G6 KTId: 840044089
ExtId: 138



MapNo: G7 KTId: 840044081
ExtId: 133




MapNo: G8 KTId: 840044088
ExtId: 436




MapNo: G8 KTId: 840044088
ExtId: 436



MapNo: G8 KTId: 840044088
ExtId: 436



MapNo: G8 KTId: 840044088
ExtId: 436



MapNo: T6 KTId: 840028305
ExtId: 132



MapNo: T7 KTId: 840027731
ExtId: 130



MapNo: G9 KTId: 840044078
ExtId: 482



MapNo: G10 KTId: 840044093
ExtId: 402




MapNo: G10 KTId: 840044093
ExtId: 402




MapNo: G10 KTId: 840044093
ExtId: 402



MapNo: G11 KTId: 840044077
ExtId: 125



MapNo: G11 KTId: 840044077
ExtId: 125



MapNo: T8 KTId: 840027286
ExtId: 409



MapNo: T8 KTId: 840027286
ExtId: 409



MapNo: T9 KTId: 840027572
ExtId: 499




MapNo: T9 KTId: 840027572
ExtId: 499




MapNo: G12 KTId: 840044079
ExtId: 507



MapNo: G13 KTId: 840044080
ExtId: 508



MapNo: G13 KTId: 840044080
ExtId: 508




MapNo: G13 KTId: 840044080
ExtId: 508



MapNo: G14 KTId: 840044092
ExtId: 140



MapNo: G14 KTId: 840044092
ExtId: 140



MapNo: T10 KTId: 840054619
ExtId: 0097



MapNo: T11 KTId: 840027976
ExtId: 141




MapNo: T12 KTId: 840027241
ExtId: 412



MapNo: T12 KTId: 840027241
ExtId: 412



MapNo: G15 KTId: 840044090
ExtId: 495



MapNo: T13 KTId: 840027240
ExtId: 354



MapNo: G16 KTId: 840044091
ExtId: 495



MapNo: G16 KTId: 840044091
ExtId: 495



MapNo: T14 KTId: 840027249
ExtId: 522

