

TREE RECOMMENDATIONS

2.4.1 The tree survey has identified a total of 12 individual and 2 groups of trees which require some form of management. These recommendations have been made to mitigate against identified possibly hazardous defects and/or on the basis of sound arboricultural management. The management recommendations are identified within Table 1 below:

Tree No.	Tag No.	Tree Species	Recommendation	Priority Code	Work Reason	VISIT
T3	420	Pedunculate oak (<i>Quercus robur</i>)	Remove major deadwood	6 mths	Health and Safety	2
T6	405	Roble beech (<i>Nothofagus obliqua</i>)	Fell to ground level	6 mths	Health and Safety	1
T17	537	Hybrid Black Poplar (<i>Populus canadensis</i>)	Fell to ground level	6 mths	Health and Safety	1
T21	534	Common alder (<i>Alnus glutinosa</i>)	Re-pollard as not completed from previous survey 2021	6 mths	Health and safety	2
T74	-	Sycamore (<i>Acer pseudoplatanus</i>)	Fell to ground level	6 mths	Health and Safety	1
T48	98	Tulip tree (<i>Liriodendron tulipifera</i>)	Crown lift to 3m over adventure playground.	1 yr	Maintenance	2
T49	99	Himalayan birch (<i>Betula utilis</i> var. <i>Jacquemontii</i>)	Remove epicormic growth from stem base	1 yr	Maintenance	2
G50	-	2 no. Crack willow (<i>Salix fragilis</i>)	coppice group	1yr	Maintenance	2
T5	550	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1
T30	365	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1
G67	488	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1
T69	-	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1
T72	-	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1
T75	-	Common ash (<i>Fraxinus excelsior</i>)	Fell to ground level	2 yrs	Health and Safety	1